Instruction Manual

HI 93720 Calcium Hardness ISM





CEThis Instrument is in

http://www.hannainst.com Compliance with the CE Directives

WARRANTY

HI 93720 is warranted for two years against defects in workmanship and materials when used for its intended purpose and maintained according to instructions.

This warranty is limited to repair or replacement free of charge.

Damages due to accident, misuse, tampering or lack of prescribed maintenance are not covered.

If service is required, contact the dealer from whom you purchased the instrument. If under warranty, report the model number, date of purchase, serial number and the nature of the failure. If the repair is not covered by the warranty, you will be notified of the charges incurred. If the instrument is to be returned to Hanna Instruments, first obtain a Returned Goods Authorization Number from the Customer Service department and then send it with shipment costs prepaid. When shipping any instrument, make sure it is properly packaged for complete protection.

To validate your warranty, fill out and return the enclosed warranty card within 14 days from the date of purchase.

All rights are reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner, Hanna Instruments Inc., Woonsocket, Rhode Island, 02895, USA.

Hanna Instruments reserves the right to modify the design, construction and appearance of its products without advance notice.

Dear Customer

Thank you for choosing a Hanna product. This manual will provide you with the necessary information for the correct operation of the meter. Please read it carefully before using the meter. If you need additional technical information, do not hesitate to e-mail us at tech@hannainst.com.

This instrument is in compliance with **C€** directives EN 50081-1 and EN 50082-1.

PRELIMINARY EXAMINATION

Remove the instrument from the packing material and examine it carefully to make sure that no damage has occurred during shipment. If there is any damage, notify your Dealer.

Each Ion Specific Meter is supplied complete with

- 9V Battery
- Two Sample Cuvets and Caps
- One Transport Cap

Note: Conserve all packing material until the instrument has been observed to function correctly. Any defective item must be returned in its original packing.

GENERAL DESCRIPTION

The HI 93720 meter measures the calcium hardness content, as $CaCO_3$, in water and wastewater in the 0.00 to 2.70 mg/L (ppm) range.


The meter uses an exclusive positive-locking system to ensure that the cuvet is in the same place every time it is placed into the measurement cell.

The reagents are in liquid form and are supplied in bottles. The amount of reagent is precisely dosed to ensure maximum repeatability.

Display codes aid the user in routine operations.

The meters have an auto-shut off feature that will turn the instrument off after 10 minutes of non-use.

SPECIFICATIONS



SPECIFICATIONS

Range 0.00 to 2.70 mg/L

Resolution 0.01 mg/L

Accuracy ± 0.11 mg/L $\pm 5\%$ of reading

Typical EMC ± 0.01 mg/L

Deviation

Light Source Light Emitting Diode @ 555 nm

Method Adaptation of the *Standard Methods for* the Examination of Water and Wastewater, 18th edition, calmagite method. The reaction between Ca and reagents causes

a red tint in the sample

Light Detector Silicon Photocell

Environment 0 to 50°C (32 to 122°F);

max 95% RH non-condensing

Battery Type/Life 1 x 9 volt/40 hours
Auto-Shut off After 10' of non-use

Dimensions 180 x 83 x 46 mm (7.1 x 3.3 x 1.8")

Weight 290 g (10 oz.).

REQUIRED REAGENTS

Code	Description	Quantity
HI 93720A-0	Ca indicator	0.5 mL
HI 93720B-0	Alkali solution	0.5 mL
HI 93720C-0	EGTA solution	1 drop

REAGENT SETS

HI 93720-01 Reagents for 100 tests HI 93720-03 Reagents for 300 tests

DISPLAY CODE GUIDE

This indicates that the meter is in a ready state and zeroing can be performed.

Sampling in Progress. This prompt appears each time the meter is performing a measurement.

This indicates that the meter is in a zeroed state and measurement can be performed.

A zero reading was not taken. Insert a sample before adding reagent and press 7FRO

Under range. A blinking "0.00" indicates that the sample absorbs less light than the zero reference. Check the procedure and make sure you use the same cuvet for reference (zero) and measurement.

Over range. A flashing value higher than the maximum concentration readable (see specifications) indicates that the sample absorbs too much light, meaning that the concentration is too high. Dilute the sample.

Light over range. The cuvet is not inserted correctly and an excess ambient light is reaching the detector. If the cover is properly installed, then contact your dealer or the nearest Hanna Customer Service Center.

Light under range. The zero sample is too dark for proper zeroing. If this is not the case, contact your dealer or the nearest Hanna Customer Service Center.

The "V" indicates that the battery voltage is getting low and the battery needs to be replaced.

EAP

This indicates that the battery is dead and must be replaced.

Note: once this indication is displayed, the meter will lockup. Change the battery to restart.


OPERATIONAL GUIDE


MEASUREMENT PROCEDURE


• Turn the meter on by pressing ON/OFF.




 When the LCD displays "- - -", it is ready.











 Add 1 drop of HI 93720C EGTA solution to one cuvet, replace the cap and swirl the solution. This is the blank.







7171_

 Wait for a few seconds and the display will show "-0.0-". Now the meter is zeroed and ready for measurement. Remove the buffered blank and insert the second cuvet into the instrument, making sure that the notch on the cap is positioned securely into the groove.



• Press READ DIRECT. "SIP" will appear during measurement.



 The instrument directly displays concentration in mg/L (ppm) of calcium hardness, as CaCO₃, on the Liquid Crystal Display. To convert the result to mg/L Ca, multiply the reading by 0.4.

Note: the test will detect any calcium or magnesium contamination in the mixing cylinders, measuring droppers or sample cells. To test cleanliness, repeat the test multiple times until you obtain consistent results.

SAMPLE DILUTION

This meter is designed to determine low levels of hardness, typically found in water purification systems.

When testing some other sources of water, it is not uncommon to come across levels of hardness that are greater than the range of this meter.

This problem can be overcome through dilution. Dilutions must be performed with hardness-free water or the readings will be erroneous.

A dilution to reduce the level of hardness by a factor of one hundred is performed as follows:

- Fill a 1 mL syringe with the sample.
- Place the syringe in a 50 mL beaker, making sure that the beaker is clean and empty, and inject 0.5 mL into the beaker.
- Fill the beaker up to the 50 mL mark with hardness-free water

Now, follow normal measurement procedure. The true value of the sample is the reading obtained multiplied by a factor of one hundred (the dilution factor).

For your reference, factors to convert readings in mg/L to French degrees (FD), German degrees (DD) and English degrees (ED) of hardness are as follows:

1 mg/L = 0.1 FD = 0.056 DD = 0.07 ED.

INTERFERENCES

Interference may be caused by excessive amounts of heavy metals.

TIPS FOR AN ACCURATE MEASUREMENT

The instruction listed below should be carefully followed during testing to ensure best accuracy.

- Do not touch the cuvet walls with hands.
- In order to maintain the same conditions during the zeroing and the measuring phases, it is necessary to close the cuvet to prevent any contamination.
- Do not let the test sample stand too long after reagent is added or accuracy will be lost.
- Whenever the cuvet is placed into the measurement cell, it must be completely free of fingerprints, oil or dirt.
 Wipe it thoroughly with HI 731318 or a lint-free cloth prior to insertion.
- It is important that the sample does not contain any debris. This would corrupt the readings.
- It is possible to take multiple readings in a row, but it is recommended that a zero reading be taken for each sample and that the same cuvet is used for zeroing and measurement.
- It is important to discard the sample immediately after the reading is taken because the glass might become permanently stained.
- Shaking the cuvet can generate bubbles in the sample, causing higher readings. To obtain accurate measurements, remove such bubbles by swirling or by gently tapping the vial.
- All the reaction times reported in this manual are referred to 20°C (68°F). As a general rule of thumb, they should be doubled at 10°C (50°F) and halved at 30°C (86°F).

BATTERY REPLACEMENT

Battery replacement must only take place in a non-hazardous area using a 9V alkaline battery.

Simply slide off the battery cover on the back of the meter. Detach the battery from the terminals and attach a fresh 9V battery while paying attention to the correct polarity. Replace the battery and the cover.

ACCESSORIES

REAGENT SETS

HI 93720-01 Reagents for 100 tests

HI 93720-03 Reagents for 300 tests

OTHER ACCESSORIES

HI 710009 Blue rubber boot

HI 710010 Orange rubber boot

HI 721310 9V battery (10 pcs)

HI 731318 Tissue for wiping cuvets (4 pcs)

HI 731321 Glass cuvets (4 pcs)

HI 731325 Caps for cuvets (4 pcs)

HI 93703-50 Cuvets cleaning solution (230 mL).

CE DECLARATION OF CONFORMITY



(€

DECLARATION OF CONFORMITY

e Hanna Instruments Srl

V.le delle industrie 12 35010 Ronchi di Villafranca (PD) ITALY

herewith certify that the colorimeters

H193700 H193701 H193702 H193704 H193705 H193706 H193707 H193708 H193709 H193710 H193711 H193712 H193713 H193714 H193715 H193716 H193716 H193714 H1937379 H193720 H193722 H193722 H193723 H193724 H193732 H193737 H193738 H193742 H193746 H193747 H193748 H193740 H1937

have been tested and found to be in compliance with the following regulations:

IEC 801-2 Electrostatic Discharge IEC 801-3 RF Radiated EN 55022 Radiated, Class B EN 61010-1 User Safety Requirement

Date of Issue: 19-02-1997

D.Volpato - Engineering Manager On behalf of

Recommendations for Users

Before using these products, make sure that they are entirely suitable for the environ-

Operation of these instruments in residential area could cause unacceptable interferences to radio and TV equipments, requiring the operator to take all necessary steps to correct interferences

Any variation introduced by the user to the supplied equipment may degrade the instruments' EMC performance.

To avoid damages or burns, do not perform any measurement in microwave ovens.

PRINTED IN PORTUGAL

IST93720R1