




WGI, II, III Wet film thickness gauge

SP4000, SP4010, SP4020

Datasheet

Product description

Hexagonal/Octagonal precision measuring comb made of heavy stainless steel. The high-grade stainless steel will not be affected by acid or base elements.



Features

Models available for several different applications:

- 20 to 370 microns for decorative paints and primers
- 25 to 2000 microns for protective coatings and high solids. With edge grinding check (2mm).
- 50 to 10.000 microns for extremely thick films such as floor coatings, fillers, fire proofing, plaster, adhesives etc.

Article numbers

SP4000

WG-I 20-370 µm in 24 steps (6x4)

SP4010

WG-II 2000 µm in 36 steps (6x6) With edge radius check (2mm)

SP4020

WG-III 50-10000µm

in 71 steps (8x9)

Scale division: 0-900:50µm, 900-5500:100µm, 5500-9000:500µm

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.