

## Industrial Test Systems, Inc. 1875 Langston Street, Rock Hill, SC 29730

Phone: (800) 861-9712, (803) 329-9712, Fax: (803) 329-9743

eMail: its@sensafe.com, Web: www.sensafe.com, www.poolcheckonline.com

## **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard

## U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

must be consulted for specific require		Form Approved OMB No. 1218-0072				
Product Name: DPD-1		Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.				
Section I						
Manufacturer's name: Industrial Test Systems,	Emergency Telephone Number: 803-329-9712					
Address (Number, Street, City, State and ZIP C	Code)	Telephone Number for Information: 803-329-9712				
1875 Langston St.	Date Prepared: March 24, 2005					
Rock Hill, SC 29730	Preparer: David T. Julian					
Section II—Hazardous Ingredients/Iden	ntity Information					
Hazardous Components (Specific Chemical Ide	entity, Common Name(s))	OSHA PEL ACG	SIH TLV	Other Limits Recommended	% (optional)	
Sodium Hydrogen Phosphate					<1%	
N,N Diethyl-1,4 phenylenediamine su				<1%		
Coation III Dhysical/Charries Chares	toriotico.					
Section III—Physical/Chemical Charact		T = =				
Boiling Point:	NA	Specific Gravity (H <sub>2</sub> 0 = 1)		NA NA		
Vapor Pressure (mm Hg)	NA	Melting Point		N/	١	
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)		N/A	\	
Solubility in Water: NA		1		<u> </u>		
Appearance and Odor: White strip with indicato	r pad.					
	•					
	•	Flammable Limits: NA	LEL: NA	UEL:	NA	
Appearance and Odor: White strip with indicato  Section IV—Fire and Explosion Hazard  Flash Point (Method Used): NA  Extinguishing Media: Use dry chemicals, CO2, al	I Data	Flammable Limits: NA	LEL: NA	UEL:	NA	
Section IV—Fire and Explosion Hazard Flash Point (Method Used): NA	I Data	Flammable Limits: NA	LEL: NA	UEL:	NA	
Section IV—Fire and Explosion Hazard Flash Point (Method Used): NA Extinguishing Media: Use dry chemicals, CO2, al	I Data	Flammable Limits: NA	LEL: NA	UEL:	NA	
Section IV—Fire and Explosion Hazard Flash Point (Method Used): NA Extinguishing Media: Use dry chemicals, CO2, al	I Data	Flammable Limits: NA	LEL: NA	UEL:	NA	
Section IV—Fire and Explosion Hazard Flash Point (Method Used): NA Extinguishing Media: Use dry chemicals,CO2,al Special Fire Fighting Procedures: NA	I Data	Flammable Limits: NA	LEL: NA	UEL:	NA	

(Reproduce locally) OSHA 174 Sept. 1985

Section V—	Reactivity Data							
Stability		Unstable			Conditions to Avoid: N	NA .		
		Stable	X					
In a a man a tile ilitu	(Materials to Avoid): NA		^					
Hazardous De	ecomposition or Byprodu	cts: NA						
Hazardous		May Occur			Conditions to Avoid: NA			
Polymerization	1	Will Not Occur	X					
			^					
	-Health Hazard Data			Clein 2 ve		In graption 2 year		
Route(s) of Er		Inhalation? yes		Skin? ye	<del>!</del> S	Ingestion? yes		
Health Hazard	ls (Acute and Chronic)							
Irritant, tox	ic							
Carcinogenici	ty: NA	NTP? NA		IARC M	onographs? NA	OSHA Regulated? No		
Signs and Syr	nptoms of Exposure: Irrit	tation						
Medical Cond								
Generally Ago	ravated by Exposure: N	A						
Emergency ar	nd First Aid Procedures:	Rinse skin and eyes with	copious amount	ts of wate	r Seek medical attentio	n		
		fe Handling and Use	on un and diana					
Steps to Be 1	aken in Case Material is	Released or Spilled: Swe	ep up and dispo	ose				
Waste Dispos	al Method: This material	is considered to be non-r	egulated. Dispo	ose of in a	ccordance with local, sta	ate and federal regulations.		
Precautions to	Be Taken in Handling a	ind Storing: NA						
Other Precaut	ions: NA							
Section VII	-Control Measures							
	rotection (Specify Type):	NA						
Ventilation	Local Exhaust: NA			<del>1</del>	Special: NA			
v en illialion								
	Mechanical (General):	NA			Other: NA			
Protective Glo	Protective Gloves: NA Eye Protection: NA							
Other Protecti	ve Clothing or Equipmer	nt: NA						
Work/Hygienio	Practices: As with all te	sting procedures, wash h	ands after perfo	rming tes	t.			