

Glycol CHEMets® Kit

K-4815/R-4815: 1 - 15 ppm Ethylene Glycol

Sample Temperature

This test method is somewhat temperature dependant. For best results, samples should be less than 40°C.

Test Procedure

1. Fill the sample cup to the 20 mL mark with the sample to be tested (fig 1).
2. Add 5 drops of A-4400 Activator Solution (fig 2). Cap the sample cup and shake it to mix the contents well.
3. Wait **5 minutes**.
4. Add 6 drops of A-4401 Activator Solution and 4 drops of A-4402 Activator Solution (fig 2). Cap the cup and shake it to mix the contents well.
5. Place the CHEMet ampoule, tip first, into the sample cup. Snap the tip. The ampoule will fill leaving a bubble for mixing (fig 3).
6. To mix the ampoule, invert it several times, allowing the bubble to travel from end to end.
7. Dry the ampoule and wait **12 minutes** for color development.
8. Obtain a test result by placing the ampoule between the color standards until the best color match is found (fig 4).

NOTE: To convert to ppm propylene glycol, multiply test result by 2.




Figure 1




Figure 2




Figure 3




Figure 4

Activator Solution Preparation

Fill the A-4401 Activator Solution bottle to the shoulder with distilled water or add 15 mL of distilled water. Shake the bottle until the chemical dissolves completely. If the solution will be stored at room temperature, label the bottle with a **6 week** expiration date. If it will be stored in the refrigerator, label it with a **4 month** expiration date.

Test Method

The Glycol CHEMets®¹ test method employs the Purpald®²/Periodate chemistry³. Periodic acid oxidizes ethylene glycol and propylene glycol to formaldehyde. In a highly alkaline solution, and in conjunction with an oxidizing agent, formaldehyde reacts with Purpald to form a purple colored complex.

Certain aldehydes and alcohols will cause high test results.

1. CHEMets is a registered trademark of CHEMetrics, Inc. U.S. Patent No. 3,634,038
2. Purpald is a registered trademark of Aldrich Chemical Company. The reagent methodology was developed by Aldrich Chemical Company.
3. Fritz, James S. and Schenk, George H., Quantitative Analytical Chemistry, 4th ed., p. 277, 1979.

Safety Information

Read MSDS (available at www.chemetrics.com) before performing this test procedure. Wear safety glasses and protective gloves.

Visit www.chemetrics.com to view product demonstration videos.
Always follow the test procedure above to perform a test.



www.chemetrics.com
4295 Catlett Road, Midland, VA 22728 U.S.A.
Phone: (800) 356-3072; Fax: (540) 788-4856
E-Mail: orders@chemetrics.com

Apr. 13, Rev. 7