

according to Regulation (EC) No. 1907/2006

Revision Date 05.06.2013

Version 16.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method:

photometric, PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Warning

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) Xi Irritant

R-phrase(s) 36/38 Irritating to eyes and skin.

Reduced labelling (≤125 ml)

Symbol(s) Xi Irritant

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous sulfuric acid solution.

3.1 Substance not applicable

3.2 Mixture

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

sulphuric acid (>= 10 % - < 15 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-20- Corrosive to metals, Category 1, H290

XXXX Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification
sulphuric acid (>= 10 % - < 15 %)
7664-93-9 C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, Local effects inhalation 0,05 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

 PNEC Fresh water
 0,0025 mg/l

 PNEC Fresh water sediment
 0,002 mg/kg

 PNEC Marine water
 0,00025 mg/l

 PNEC Marine sediment
 0,002 mg/kg

 PNEC Sewage treatment plant
 8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: > 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour odourless

Odour Threshold No information available.

pH ca. 1

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evapouration rate No information available.

Flammability (solid, gas) not applicable

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Relative density 1,07 g/cm³

at 20 °C

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, alkalines, Metals, Alkaline earth metals, alkaline earth compounds, metal alloys, acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

animal/vegetable tissues, Metals

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Property that must be anticipated on the basis from the components of the mixture:

After inhalation of vapours: irritative symptoms in the respiratory tract. After skin contact: severe irritations. After eye contact: corneal destruction. After swallowing: damage of the oral, oesophageal, and gastric mucous membranes. Perforation of the oesophagus frequently occurs. Circulatory collapse may occur after 1-2 hours.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Acute inhalation toxicity LC50 rat: 0,25 mg/l; 4 h (IUCLID)

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative (HSDB)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift. Neutralisation possible in waste water treatment plants.

Further information on ecology

No ecological problems are to be expected when the product is handled and used with due care and attention.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 29 mg/l; 24 h (IUCLID)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/I PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Р

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

Ρ

National legislation

Storage class 5.1 B The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Full text of R-phrases referred to under sections 2 and 3

R35 Causes severe burns.
R36/38 Irritating to eyes and skin.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.



according to Regulation (EC) No. 1907/2006

Revision Date 05.06.2013

Version 16.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method:

photometric, PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidising solid, Category 3, H272 Acute toxicity, Category 4, Oral, H302 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

Respiratory sensitisation, Category 1, H334

Skin sensitisation, Category 1, H317

Specific target organ toxicity - single exposure, Category 3, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

 O
 Oxidising
 R8

 Xn
 Harmful
 R22

 Sensitising
 R42/43

 Xi
 Irritant
 R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word Danger

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word Danger

Hazard statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

Contains: sodium nitrate, Potassium persulfate

Labelling (67/548/EEC or 1999/45/EC)

Oxidising 0 Symbol(s) 🗶 Xn Harmful

R-phrase(s) 8-22-36/37/38-42/43 Contact with combustible material may cause fire. Harmful if

swallowed. Irritating to eyes, respiratory system and skin.

May cause sensitisation by inhalation and skin contact.

S-phrase(s) 17-22-24-37-45 Keep away from combustible material. Do not breathe dust.

> Avoid contact with skin. Wear suitable gloves. In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Reduced labelling (≤125 ml)

Oxidising 0 Symbol(s) Xn Harmful

R-phrase(s) 22-42/43 Harmful if swallowed. May cause sensitisation by inhalation and skin

contact.

22-24-37-45 Do not breathe dust. Avoid contact with skin. Wear suitable gloves. In S-phrase(s)

case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Contains: sodium nitrate, Potassium persulfate

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Substance mixture

3.1 Substance not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

sodium nitrate (>= 50 % - <= 100 %)

7631-99-4 Oxidising solid, Category 3, H272

Acute toxicity, Category 4, H302

Potassium persulfate (>= 25 % - < 50 %)

7727-21-1 Oxidising solid, Category 3, H272

Acute toxicity, Category 4, H302 Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category 3, H335

Skin irritation, Category 2, H315

Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification

sodium nitrate *(>= 50 % - <= 100 %)* 7631-99-4 O, Oxidising; R8

'631-99-4 O, Oxidising; R8 Xn, Harmful; R22

Potassium persulfate (>= 25 % - < 50 %)

7727-21-1 O, Oxidising; R8

Xn, Harmful; R22 Xi, Irritant; R36/37/38

R42/43

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Consult a physician.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions, Diarrhoea, Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases, nitrogen oxides, Sulphur oxides

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour colourless

Odour odourless

Odour Threshold No information available.

pH ca. 5,0 - 5,5

at 50 g/l 20 °C

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evapouration rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature > 100 °C

Viscosity, dynamic No information available.

Explosive properties No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

Oxidizing properties The substance or mixture is classified as oxidizing with the

category 3.

May intensify fire; oxidiser.

9.2 Other data

Bulk density ca.1.100 kg/m³

Particle size Mean particle size

0,35 mm

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

the constituents may react with:

boron phosphide, aluminium oxide, sodium thiosulphate, sodium phosphite, Polyvinylchloride, Acetic anhydride, Alkali metals, sulfur, performic acid, oxidisable substances, carbon, Cyanides, combustible substances, Reducing agents, silver compounds, Heavy metals, strong alkalis, bases, Water, acids, Powdered metals

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

absorption

Symptoms: Nausea, Vomiting, Diarrhoea, Irritations of mucous membranes in the mouth,

pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate: 1.079 mg/kg

Calculation method

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung oedema

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

Mixture may cause an allergic skin reaction.

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Property that must be anticipated on the basis from the components of the mixture:

After absorption of large quantities:

Methaemoglobinaemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea,

and spasms, key symptom: cyanosis (blue colouration of the blood).

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sodium nitrate

Acute oral toxicity

LD50 rat: 1.267 mg/kg (RTECS)

Symptoms: Irritation of mucous membranes, Nausea, Diarrhoea, Vomiting

Potassium persulfate

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

Acute oral toxicity

LD50 rat: 802 mg/kg (RTECS)

Sensitisation Human experience Result: positive

(Lit.)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Components

sodium nitrate

Toxicity to fish

LC50 Ictalurus catus (catfish): 6.200 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 3.581 mg/l; 48 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Potassium persulfate

Toxicity to fish

LC50 Poecilia reticulata (guppy): 100 mg/l; 96 h (Hommel)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 357 mg/l; 24 h (Hommel)

Toxicity to bacteria

EC50 Pseudomonas putida: 36 mg/l(Hommel)

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class 9 **14.4 Packing group** II

14.5 Environmentally hazardous --

14.6 Special precautions for

yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC Legislation Oxidising

3

Quantity 1: 50 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

Regulation (EC) No 1005/2009 on substances that

not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

not regulated

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1 B The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-1K

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H335 May cause respiratory irritation.

Full text of R-phrases referred to under sections 2 and 3

R 8 Contact with combustible material may cause fire.

R22 Harmful if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42/43 May cause sensitisation by inhalation and skin contact.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.



according to Regulation (EC) No. 1907/2006

Revision Date 05.06.2013

Version 16.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method:

photometric, PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Warning

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) Xi Irritant

R-phrase(s) 36/38 Irritating to eyes and skin.

S-phrase(s) 26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

Reduced labelling (≤125 ml)

Symbol(s) Xi Irritant

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous sulfuric acid solution of inorganic compounds.

3.1 Substance

not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

sulphuric acid (>= 10 % - < 15 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-20- Corrosive to metals, Category 1, H290

XXXX Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification
sulphuric acid (>= 10 % - < 15 %)
7664-93-9 C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Circulatory collapse

The following applies to trivalent antimony compounds in general: after uptake and absorption as a result of misuse or improper handling, drop in blood pressure, hepatotoxic effect, in some circumstances myalgia, dyspnoea, dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, Local effects inhalation 0,05 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

 PNEC Fresh water
 0,0025 mg/l

 PNEC Fresh water sediment
 0,002 mg/kg

 PNEC Marine water
 0,00025 mg/l

 PNEC Marine sediment
 0,002 mg/kg

 PNEC Sewage treatment plant
 8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: > 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 706 Lapren® (splash contact).

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour odourless

Odour Threshold not applicable

pH <1

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evapouration rate No information available.

Flammability (solid, gas) not applicable

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Relative density 1,12 g/cm³

at 20 °C

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties not applicable

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, alkalines, Metals, Alkaline earth metals, alkaline earth compounds, metal alloys, acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

animal/vegetable tissues, Metals

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Property that must be anticipated on the basis from the components of the mixture:

After inhalation of vapours: irritative symptoms in the respiratory tract. After skin contact: severe irritations. After eye contact: corneal destruction. After swallowing: damage of the oral, oesophageal, and gastric mucous membranes. Perforation of the oesophagus frequently occurs. Circulatory collapse may occur after 1-2 hours.

Other information

The following applies to trivalent antimony compounds in general: after uptake and absorption as a result of misuse or improper handling, drop in blood pressure, hepatotoxic effect, in some circumstances myalgia, dyspnoea, dermatitis.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Acute inhalation toxicity LC50 rat: 0,25 mg/l; 4 h (IUCLID)

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

Genotoxicity in vitro
Ames test
Salmonella typhimurium
Result: negative
(HSDB)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 29 mg/l; 24 h (IUCLID)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class 9

14.4 Packing group II
14.5 Environmentally hazardous ---

14.6 Special precautions for

user

yes

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1 B The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H319 Causes serious eye irritation.

Full text of R-phrases referred to under sections 2 and 3

R35 Causes severe burns.
R36/38 Irritating to eyes and skin.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-2K

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.



according to Regulation (EC) No. 1907/2006

Revision Date 05.06.2013

Version 16.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method:

photometric, PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This substance is not classified as dangerous according to European Union legislation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $C_6H_8O_6$ (Hill) CAS-No. 50-81-7 EC-No. 200-066-2 Molar mass 176,12 g/mol

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No.

1907/2006

3.2 Mixture

not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist if necessary.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Risk of dust explosion.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour white

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

Odour odourless

Odour Threshold not applicable

2,2 - 2,5pН

at 50 g/l 20 °C

Melting point 190 - 192 °C

(decomposition)

Boiling point/boiling range not applicable

Flash point not applicable

No information available. Evapouration rate

Flammability (solid, gas) May form combustible dust concentrations in air

Lower explosion limit not applicable

Upper explosion limit not applicable

at 20 °C Vapour pressure

not applicable

at 20 °C Relative vapour density

not applicable

Relative density 1,65 g/cm3

Water solubility 330 g/l

at 24 °C

Partition coefficient: n-

log Pow: -2,15

octanol/water (Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

> 192 °C Decomposition temperature

Viscosity, dynamic at 20 °C

not applicable

No information available. Explosive properties

Oxidizing properties none

9.2 Other data

380 °C Ignition temperature

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

Bulk density ca.500 - 900 kg/m³

SECTION 10. Stability and reactivity

10.1 Reactivity

Reducing agents Risk of dust explosion.

10.2 Chemical stability

sensitive to moisture Sensitivity to light Sensitive to air.

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Aluminium, Copper alloys, Zinc, metal ions, Oxidizing agents, Copper

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat: 11.900 mg/kg (RTECS)

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

rabbit

Result: No irritation

OECD Test Guideline 404

Eye irritation

rabbit

Result: slight irritation

OECD Test Guideline 405

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Substances which occur in nature

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 1.020 mg/l; 96 h

OECD Test Guideline 203 acidic

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 360 mg/l; 48 h (External MSDS)

Toxicity to algae

IC50 Desmodesmus subspicatus (green algae): 1.750 mg/l; 72 h (External MSDS)

Toxicity to bacteria

EC50 Pseudomonas putida: 140 mg/l; 16 h (External MSDS)

12.2 Persistence and degradability

Biodegradability

97 %; 5 d

OECD Test Guideline 302B Readily eliminated from water

Ratio BOD/ThBOD

BOD28 65 %

Closed Bottle test

BOD5 48 %

Closed Bottle test

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -2,15

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

12.6 Other adverse effects

Additional ecological information

Biological effects:

When discharged properly, no impairments in the function of adapted biological wastewater

treatment plants are to be expected.

Further information on ecology

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

yes

14.3 Class14.4 Packing group14.5 Environmentally hazardous

14.6 Special precautions for

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316 **14.2 Proper shipping name** CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

not regulated

of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1 B The data applies to the entire pack.

Dust explosion class St1

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114543

Product name Phosphate Cell Test (o-phosphate and total phosphorous) Method: photometric,

PMB 0.05 - 5.00 mg/l PO₄-P

0.2 - 15.3 mg/l PO₄3-

0.11 - 11.46 mg/l P₂O₅ Spectroquant®

P-3K

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.