

취급설명서

Conductivity Cell

CD-201



SECHANG INSTRUMENTS

- (K)

-

-

CD-201

가

가

가


, CD-201

2.

CD-2

BNC 가 , BNC

.(



	0 $\mu\text{S}/\text{cm}$ ~ 100 $\mu\text{S}/\text{cm}$
K	1.0 $\pm$ 0.02 cm^{-1}
	0 $\div$ 70
	35 mm
	15.0 $\pm$ 0.5 mm
	12.0 $\pm$ 0.5 mm
	1 m
	BNC

3.

가 가 ,

4.

K
m⁻¹ , cm⁻¹
K=1(cm⁻¹)=100(m⁻¹)

. K

.

5.

. α

, α , . α

.

α ,

1. 25

2. 25 . (G₂₅)

3. .)20

4. .

5. 25 .

6. .(G_{Tx}))20

7. α .

$$\alpha = \frac{G_{25} - G_{Tx}}{G_{25}(25 - Tx)} \times 100(\% /)$$

T_x:

G₂₅: 25

G_{Tx}: T_x

α .) 15 , 10 , 5

.

25

α . ,

가 .

4

()

가 .

가 .

6.

, 가

25 .

.

1. . ,

connector .

2. K α

.

3. .

.

,

.

4. .

,

.

5. .

.

- 가 .

- .

.

- ,
가 .(가)

- 가

K . 가

K .

- 가



.

.

- CD-2 . ,
.
.
.
.
가 . , ,
, acetone, chloroform, fourhydrofurane
. Fur, Plaster ,
hydrochloric acid, phosphorus acid, sulphuric acid alkalis(sodium hydroxide)
.
가 .


7.

,
.
.
가 , Error .
가 .



3 : 2004 2 2

:



() 152-766



3 212-1 1
1007
TEL : 02-6675-6000 (), FAX : 02-2109-0123 ()



ID :
e-mail : sechang@sechang.com
Internet Website : <http://www.sechang.com>



SECHANG INSTRUMENTS