

취급설명서

Color of Water ISM HI93727



SECHANG INSTRUMENTS

1. Introduction

HI93727 0 ~ 500 PCU (Platinum Cobalt Units)

HI93727

Display


가

HI93727

10

가

2. Specification



* True color measurement

	0 ~ 500 PCU (Platinum Cobalt Units)
	10 PCU
	±10 PCU , ± 5%
EMC	±10 PCU
	Light Emitting Diode @ 470nm
	Adaptation of the Colorimetric Platinum Cobalt method
	Silicon Photocell
	0 ~ 50 (32 ~ 122 F); Max 95% RH non-condensing
Battery Type/Life	1 x 9 volt/40 hours
Auto-Shut off	After 10' of non-use
	180 x 83 x 46 mm (7.1 x 3.3 x 1.8")
	290 g (10 oz.)

0.45µm Membrane

3. Display CODE GUIDE


	가 가 ,
	가
	가 가 .
	ZERO 가 , ZERO ..
	"0.00" 가 ZERO HI93727
	가 "33.0" (.)
	가 , 가 ,
	Zero 가 ,
	"V" ,
	가 , Note: 가 , 가

4.

1. ON/OFF




2. LCD “-----” 가




3. ()

(1.5cm)



4.



5. ZERO

“SIP”가




6.

“-0.0-” 가


가 Zero가

가




7.

(1.5cm)



8.



9. READ

“SIP” 가



10. Apparent Color


11.

0.45 μ m Membrane




12.

(1.5cm)



13.



14. READ

“SIP” 가



15. True Color


5. TIPS for an accurate measurement

-
-
- 가 .
-
- ,
- 가 .(
-)
- 가 .
- () 가 ,
-
-
- 가 ,
- ,
- 가 .
- 20 (68 F)
- 가 10 (50 F) , , 30 (86 F)
-




HI93727

True & Apparent Color Meter



3 : 2004 2 2

:



.

,

,

.

() 152-766



1007

TEL : 02-6675-6000 (), FAX : 02-2109-0123 ()



ID :

e-mail : sechang@sechang.com

Internet Website : <http://www.sechang.com>



SECHANG INSTRUMENTS