

/

( )	(mg Cl/l)					100 Mø/  (mg O/1)
	0	5000	10000	15000	20000	
	(mg O/1)					
0	14.16	13.40	12.63	11.87	11.10	0.0153
1	13.77	13.03	12.29	11.55	10.80	0.0148
2	13.40	12.68	11.97	11.25	10.52	0.0144
3	13.01	12.45	11.65	10.95	10.25	0.0440
4	12.70	12.03	11.35	10.67	9.99	0.0135
5	12.37	11.72	11.00	10.40	9.71	0.0131
6	12.00	11.42	10.79	10.15	9.51	0.0128
7	11.78	11.15	10.52	9.90	9.28	0.0124
8	11.47	10.87	10.27	9.67	9.06	0.0120
9	11.19	10.61	10.03	9.44	8.85	0.0117
10	10.92	10.36	9.79	9.23	8.66	0.0113
11	10.67	10.12	9.57	9.02	8.47	0.0110
12	10.43	9.90	9.36	8.82	8.29	0.0107
13	10.20	9.68	9.16	8.4	8.11	0.0104
14	9.97	9.47	8.97	8.40	7.95	0.0101
15	9.70	9.27	8.78	8.26	7.79	0.0099
16	9.56	9.06	8.60	8.12	7.63	0.0096
17	9.37	8.90	8.44	7.97	7.49	0.0094
18	9.18	8.73	8.27	7.82	7.36	0.0091

19	9.01	8.57	8.12	7.67	7.22	0.0089
20	8.84	8.41	7.97	7.54	7.10	0.0087
21	8.68	8.26	7.83	7.40	6.97	0.0086
22	8.53	8.11	7.70	7.26	6.85	0.0084
23	8.39	7.98	7.57	7.06	6.74	0.0082
24	8.25	7.85	7.44	7.143	6.65	0.0081
25	8.14	7.72	7.32	6.95	6.52	0.0079
26	7.99	7.60	7.21	6.82	6.42	0.0078
27	7.89	7.48	7.10	6.71	6.32	0.0077
28	7.75	7.37	6.99	6.61	6.22	0.0076
29	7.64	7.26	6.88	6.51	6.12	0.0076
30	7.53	7.16	6.78	6.41	6.03	0.0075
31	7.43	7.06	6.66	6.31	5.93	0.0075
32	7.32	6.96	6.59	6.21	5.84	0.0074
33	7.23	6.86	6.49	6.12	5.75	0.0074
34	7.13	6.77	6.40	6.03	6.65	0.0074
35	7.04	6.67	6.30	5.93	5.56	0.0074